

MEDICAL FURNITURE AND EQUIPMENT



PRESENTED BY MCFFE GROUP LLC



KL001 Electric Bed 3/5 functions

- ABS head & foot boards can be removable.
- ABS side rail, 4-piece, tuck away type with safe lock.
- Bed sheet top made from perforated steel, epoxy powder coated and baked finish, with soft connection.
- Bed framework made from mild steel ERW rectangular tubes.
- Central locking foot pedal control with castors dia150mm.
- Powerful actuator system.
- 5 functions:
 - Backrest lifting angle: $80^{\circ} \pm 5^{\circ}$
 - Kneerest lifting angle: $40^{\circ} \pm 5^{\circ}$
 - Trendelenburg: 12°
 - Reversed trendelenburg: 12°
 - Height adjustment (without mattress): 500-750mm
- With drainage bag holders
- With telescopic SS IV pole and previsions.



KL001-1

Electric Bed 3/5 functions

- ABS head & foot boards can be removable.
- ABS side rail, 4-piece, tuck away type with safe lock.
- Bed sheet top made from perforated steel, epoxy powder coated and baked finish, with soft connection.
- Bed framework made from mild steel ERW rectangular tubes.
- Central locking foot pedal control with casters dia150mm.
- Built-in controller in ABS railing.
- Dimension: 2110*1030*500mm
- 5 functions:
 - Backrest lifting angle: $80^{\circ} \pm 5^{\circ}$
 - Kneerest lifting angle: $40^{\circ} \pm 5^{\circ}$
 - Trendelenburg: 12°
 - Reversed trendelenburg: 12°
 - Height adjustment (without mattress): 500-750mm
- With drainage bag holders
- With telescopic SS IV pole and previsions.



KL005-4

Electric Bed 5 functions

- ABS head & foot boards can be removable.
- Aluminum alloy side rail, 6-staff, collapsed type with safe lock.
- Bed sheet top made from perforated steel, epoxy powder coated and baked finish.
- Bed framework made from mild steel ERW rectangular tubes.
- Covered Castors dia 125mm.
- Powerful actuator system.
- Dimension: 2080*970*500mm
- 5 functions:
 - Backrest lifting angle: $80^{\circ} \pm 5^{\circ}$
 - Kneerest lifting angle: $40^{\circ} \pm 5^{\circ}$
 - Height adjustment (without mattress): 500-750mm
 - trendelenburg: 12°
 - Reversed trendelenburg: 12°
- With drainage bag holders
- With telescopic SS IV pole and previsions.

KL005-2

Electric Bed (chair position)

- Bed surface height: 500~1000mm
- Patient surface: 900*1960mm
- Back section: $0^{\circ} \sim 75^{\circ}$
- Leg section: $0^{\circ} \sim 45^{\circ}$
- Trendelenburg: $0^{\circ} \sim 10^{\circ}$
- Reversed trendelenburg: $0^{\circ} \sim 10^{\circ}$
- Load bearing: 250kg
- Central control silent casters: 150mm
- five-stuff aluminium alloy guard rail
- I.V. pole
- Drainage hook
- Detachable PP head & foot board
- Surface electrostatic powder coating
- Bed frame made of cold-rolled steel tubes
- Bed surface made of cold-rolled steel plates



KL001-5

Electric Bed 5 functions

- ABS head & foot boards can be removable.
- ABS side rail, 4-piece, tuck away type with safe lock.
- Bed sheet top made from perforated steel, epoxy powder coated and baked finish
- Bed framework made from mild steel ERW rectangular tubes.
- With lock on the opposite side castors dia150mm.
- Powerful actuator system.
- 5 functions:
 - Backrest lifting angle: $80^{\circ} \pm 5^{\circ}$
 - Kneerest lifting angle: $40^{\circ} \pm 5^{\circ}$
 - Trendelenburg: 12°
 - Reversed trendelenburg: 12°
 - Height adjustment (without mattress): 500-750mm
- With drainage bag holders
- With telescopic SS IV pole and previsions.
- Controller insert in the side rail
- Bedsurface with soft connection



Electric Bed 3/5 functions

- ABS head & foot boards can be removable.
- ABS side rail, 4-piece, tuck away type with safe lock.
- Bed sheet top made from ABS
- Bed framework made from mild steel ERW rectangular tubes.
- Central locking foot pedal control with casters dia150mm.
- Powerful actuator system, hand type controller.
- Dimension: 2150*1030*500mm
- 5 functions:
 - Backrest lifting angle: $80^{\circ} \pm 5^{\circ}$
 - Kneerest lifting angle: $40^{\circ} \pm 5^{\circ}$
 - Trendelenburg: 12°
 - Reversed trendelenburg: 12°
 - Height adjustment (without mattress): 500-750mm
- With drainage bag holders
- With telescopic SS IV pole and previsions.

**KL001-3**

Electric ICU Weighing Bed

- ABS head & foot boards can be removable.
- ABS side rail, 4-piece, tuck away type with safe lock.
- Bed sheet top made from perforated steel, epoxy powder coated and baked finish, can be X-ray.
- Bed framework made from mild steel ERW rectangular tubes.
- Central locking foot pedal control with casters dia. 150mm.
- Built-in controller in ABS railing.
- Nurse-lock controller box.
- Its in-bed scale system increase efficiencies by taking accurate weight readings with the patient in any position.
- Integral Patient Bed Exit Alarm, audible alarm if the patient exits the bed.
- Dimension: 2150*1030*500mm
- 5 functions:
 - Backrest lifting angle: 80°±5°
 - Kneerest lifting angle: 40°±5°
 - Trendelenburg: 12°
 - Reversed trendelenburg: 12°
 - Height adjustment (without mattress): 500-750mm
- With drainage bag holders
- With telescopic SS IV pole and previsions.

**KL002-4**

Electric Bed (5functions)

- Detachable ABS head & foot board
- Tuck away ABS railing
- Perforated powder coated steel bed platform
- X-ray translucent platform
- Central locking 6" castors

**KL020**

Manual Bed Double Crank

- ABS head & foot boards can be removable.
- Aluminum alloy side rail, collapsed type with safe lock.
- Bed sheet top made from perforated steel, epoxy powder coated and baked finish.
- Bed framework made from mild steel ERW rectangular tubes.
- Covered castors dia 125mm with brake.
- Dimension: 2080*970*500mm
- 2 functions adjusted by hand crank:
 - Backrest lifting angle: 80°±5°
 - Kneerest lifting angle: 40°±5°
- With drainage bag holders, with turning table and shoes holder.
- With telescopic SS IV pole and previsions.

**KL016**

Manual Bed Three Crank

- ABS head & foot boards can be removable.
- ABS side rail, 4-piece, tuck away type with safe lock.
- Bed sheet top made from perforated steel, epoxy powder coated and baked finish, with soft connection.
- Bed framework made from mild steel ERW rectangular tubes.
- Central locking foot pedal control with castors dia 150mm.
- Dimension: 2180*1030*500mm
- 3 functions adjusted by hand crank:
 - Backrest lifting angle: 80°±5°
 - Kneerest lifting angle: 40°±5°
 - Height adjustment (without mattress): 500-750mm
- With drainage bag holders
- With telescopic SS IV pole and previsions.

**KL014**

Manual Bed Three Crank

- ABS head & foot boards can be removable.
- Aluminum alloy side rail, collapsed type with safe lock.
- Bed sheet top made from perforated steel, epoxy powder coated and baked finish.
- Bed framework made from mild steel ERW rectangular tubes.
- Covered casters dia 125mm with brake.
- Dimension: 2080*970*500mm
- 3 functions adjusted by hand crank:
 - Backrest lifting angle: 80°±5°
 - Kneerest lifting angle: 40°±5°
 - Height adjustment (without mattress): 500-750mm
- With telescopic SS IV pole and previsions.

**KL015**


Manual Bed Four Crank Five Functions

- ABS head & foot boards can be removable.
- Aluminum alloy side rail, 6-staff, collapsed type with safe lock.
- Bed sheet top made from perforated steel, epoxy powder coated and baked finish.
- Bed framework made from mild steel ERW rectangular tubes.
- Covered castors dia 125mm with brake.
- Dimension: 2080*970*500mm
- 5 functions adjusted by hand crank:
 - Backrest lifting angle: 80°±5°
 - Kneerest lifting angle: 40°±5°
 - Height adjustment (without mattress): 500-750mm
 - Trendelenburg: 12°
 - Reversed trendelenburg: 12°
- With telescopic SS IV pole and previsions.

**KL021**

Manual Bed Three Crank

- ABS head & foot boards can be removable.
- ABS side rail, 2-piece, tuck away type with safe lock.
- Bed sheet top made from perforated steel, epoxy powder coated and baked finish, with soft connection.
- Bed framework made from mild steel ERW rectangular tubes.
- Central locking foot pedal control with castors dia 150mm.
- Dimension: 2150*1030*500mm
- 3 functions adjusted by hand crank:
 - Backrest lifting angle: 80°±5°
 - Kneerest lifting angle: 40°±5°
 - Height adjustment (without mattress): 500-750mm
- With drainage bag holders
- With telescopic SS IV pole and previsions.



KL016

Manual Bed Three Crank

- ABS head & foot boards can be removable.
- ABS side rail, 4-piece, tuck away type with safe lock.
- Bed sheet top made from perforated steel, epoxy powder coated and baked finish, with soft connection.
- Bed framework made from mild steel ERW rectangular tubes.
- Central locking foot pedal control with castors dia150mm.
- Dimension: 2180*1030*500mm
- 3 functions adjusted by hand crank:
Backrest lifting angle: $80^{\circ} \pm 5^{\circ}$
Kneerest lifting angle: $40^{\circ} \pm 5^{\circ}$
Height adjustment (without mattress): 500-750mm
- With drainage bag holders
- With telescopic SS IV pole and previsions.



KL028

Manual Bed Double Crank

- ABS head & foot boards can be removable.
- Stainless steel side rail, collapsed type with safe lock.
- Bed sheet top made from perforated steel, epoxy powder coated and baked finish.
- Bed framework made from mild steel ERW rectangular tubes.
- Covered castors dia125mm with brake.
- Dimension: 2080*970*500mm
- 2 functions adjusted by hand crank:
Backrest lifting angle: $80^{\circ} \pm 5^{\circ}$
Kneerest lifting angle: $40^{\circ} \pm 5^{\circ}$
- With shoes holder.
- With telescopic SS IV pole and previsions.

KL031

Manual Bed Double Crank

- ABS head & foot boards can be removable.
- Aluminum alloy side rail, 4-staff, collapsed type with safe lock.
- Bed sheet top made from perforated steel, epoxy powder coated and baked finish.
- Bed framework made from mild steel ERW rectangular tubes.
- Covered castors dia125mm with brake.
- Dimension: 2080*970*500mm
- 2 functions adjusted by hand crank:
Backrest lifting angle: $80^{\circ} \pm 5^{\circ}$
Kneerest lifting angle: $45^{\circ} \pm 5^{\circ}$
- With turning table and shoes holder.
- With telescopic SS IV pole and previsions.



KL029-2

Manual Bed Double Crank

- ABS head & foot boards can be removable.
- ABS side rail, 4-piece, tuck away type with safe lock.
- Bed sheet top made from perforated steel, epoxy powder coated and baked finish.
- Bed framework made from mild steel ERW rectangular tubes.
- Central locking foot pedal control with castors dia150mm.
- Dimension: 2080*970*500mm
- 2 functions adjusted by hand crank:
Backrest lifting angle: $80^{\circ} \pm 5^{\circ}$
Kneerest lifting angle: $40^{\circ} \pm 5^{\circ}$
- With shoes holder.
- With telescopic SS IV pole and previsions.



KL024

Manual Bed Three Crank

- Aluminum alloy head & foot boards with ABS panes, can be removable.
- Aluminum alloy side rail, collapsed type with safe lock.
- Bed sheet top made from perforated steel, epoxy powder coated and baked finish.
- Bed framework made from mild steel ERW rectangular tubes.
- Noisless castors dia125mm with brake.
- Dimension: 2080*970*500mm
- 3 functions adjusted by hand crank:
Backrest lifting angle: $80^{\circ} \pm 5^{\circ}$
Kneerest lifting angle: $40^{\circ} \pm 5^{\circ}$
Height adjustment (without mattress): 500-750mm
- With drainage bag holders.
- With telescopic SS IV pole and previsions.



KL057-3

Manual Bed Single Crank

- Stainless steel head & foot boards with laminated panels.
- Bed sheet top made from perforated steel, epoxy powder coated and baked finish.
- Bed framework made from mild steel ERW rectangular tubes.
- Dimension: 2050*910*500mm
- 1 function adjusted by hand crank:
Backrest lifting angle: $80^{\circ} \pm 5^{\circ}$
- With utility shelf

KL058

Manual Bed Double Crank

- Stainless steel head & foot boards with name panels.
- Bed sheet top made from perforated steel, epoxy powder coated and baked finish.
- Bed framework made from mild steel ERW rectangular tubes.
- Noiseless castors dia125mm with brake.
- Dimension: 2050*910*500mm
- 2 functions adjusted by hand crank:
Backrest lifting angle: 80°±5°
Kneerest lifting angle: 40°±5°



KL02

Orthopaedics Traction Bed Four Crank Three Functions

- Aluminum alloy head boards can be removable.
- Aluminum alloy side rail, collapsed type with safe lock.
- Bed sheet top made from painted wooden batten.
- Bed framework made from mild steel ERW rectangular tubes.
- Covered castors dia125mm with brake.
- Dimension: 2080*980*500mm
- 3 functions:
Backrest lifting angle: 80°±5°
Kneerest lifting angle: 40°±5°
Trendelenburg: 12°
- With stainless steel double-arm lift pole.
- With drainage bag holders.
- With utility shelf.



KL05

Orthopaedics Traction Bed Four Crank Three Functions

- Aluminum alloy head boards, with traction column set.
- Aluminum alloy side rail, collapsed type with safe lock.
- Bed sheet top made from painted wooden batten.
- Bed framework made from mild steel ERW rectangular tubes.
- Covered castors dia125mm with brake.
- Dimension: 2120*980*500mm
- 2 functions:
Backrest lifting angle: 80°±5°
Kneerest lifting angle: 40°±5°
Trendelenburg: 12°
- With lift pole.
- With drainage bag holders and with utility shelf.



KL04-1

Orthopaedics Traction Bed Three Crank Two Functions

- Stainless steel head boards, with traction column set.
- Aluminum alloy side rail, collapsed type with safe lock.
- Bed sheet top made from perforated steel, epoxy powder coated and baked finish.
- Bed framework made from mild steel ERW rectangular tubes.
- Covered castors dia125mm with brake.
- Dimension: 2050*980*500mm
- 2 functions:
Backrest lifting angle: 80°±5°
Kneerest lifting angle: 40°±5°
- With double-arm lift pole.
- With drainage bag holders and with utility shelf.



KL062

Foldable Bed

- Powder coated steel side rail.
- Bed framework made from mild steel ERW rectangular tubes.
- Silence castors dia125mm with brake.
- Dimension: 1900*750*500mm
- 1 functions adjusted by hand crank:
Backrest lifting angle: 70°±5°
- With 6cm thickness mattress.





KL031-1
Manual Bed Double Crank



KL031-2
Wooden two crank bed
(size: 2030x900x500)



KL033-1
Stainless steel 2crank bed
(size: 2030x900x500)



KL035
Wooden single crank bed
(size: 2030x900x500)



KL031-3
ABS two crank bed
(size: 2030x900x500)



KL032
ABS flat bed
(size: 2030x900x500)



KL035-1
ABS bed single crank bed



KL031-4 ABS two crank bed
(size: 2030x900x500)



KL034
Flat bed iron bed
(size: 2030x900x500)



KL033
Two crank Iron bed
(size: 2030x900x500)



KL036
Iron bed single crank bed
(size: 2030x900x500)



KL036-1
Stainless steel single crank bed
(size: 2030x900x500)

KLB041-3

Luxury Hydraulic Transportation Trolley

- Size: 2000*650*630-930mm
- Material: galvanized steel tube and surface coated by electrostatic spray.
- The back board is X-ray translucent, with X-ray cassette.
- Hydraulic pump imported from USA Actuant.
- Foot pedal control at both sides of the trolley.
- Advanced centrally controlled brake system with 200mm dustproof castors.
- The bed can be raised and lowered, tilted forward and backward.
- The bottom cover is made of PP material, with oxygen cylinder holder.
- With Stainless steel foldable railing
- With 5th directional castors
- With infusion stand, drainage hook
- With foam mattress PU material 5cm thickness.



KLB041-1

Luxury Transportation Trolley

- Size: 1930*640*500-900mm
- Material: made of quality aluminum alloy. Cart surface and side rails are shaped by once injection molding of PP engineering plastics.
- Advanced centrally controlled brake system is applied to the cart and therefore stable and reliable.
- The cart surface is of separate structure with the back rest section supported by the imported pneumatic spring.
- Manual crank adjust the height.



KLB041-2

Luxury Hydraulic Transportation Trolley

- Size: 1930*700*630-930mm.
- Material: made of imported PP material.
- Hydraulic pump imported from USA Actuant.
- Foot pedal control at both sides of the trolley.
- Advanced centrally controlled brake system with 200mm dustproof castor.
- The cart can be raised and lowered, tilted forward and backward.
- With ABS foldable railing.
- With the oxygen cylinder holder at the base of this trolley.
- With 5th directional castors.
- With infusion stand, drainage hook.
- With mattress canvas material 2cm thickness.



KLB041

Operation Connecting Trolley

- Size: 3650*640*640-970mm
- Material: made of quality aluminum alloy. Cart surface and side rails are shaped by once injection molding of PP engineering plastics.
- The guideways for linking two small separate carts are made of quality aluminum alloy of high strength and thus enable the bed to move steadily and reliably .
- Two separate small carts can be raised and lowered for adjustment. Only when the two small carts are adjusted to the same level, the bed rest can be slid smoothly.
- As the bed slides to any separate cart ,it can be automatically locked and equipped with safety device.
- An advanced centrally controlled brake system is used for both separate small carts in order to makethem smoother and more stable when linking up and running.



KLB037

Stainless Steel Patient Trolley

- Stainless steel frame.
- 5"casters with brake.
- Stainless steel guardrail can be putted down.
- Separated into two parts: stretcher and trolley.
- Size: 1960*600*750mm.



KLB038

Stainless Steel Patient Trolley(big wheel)

- Stainless steel frame.
- Big wheels at the front of trolley, back is 5" casters with brake.
- Stainless steel guardrail can be putted down.
- Size: 1960*600*750mm.



KLB037C

Stainless Steel Patient Trolley

- Manual head and foot rest.
- Stainless steel frame.
- Aluminum alloy railing.
- Casters with brake.
- Aluminum alloy railing.
- With matterss.
- Size: 1930x750x620-880mm.



KL075700

Baby Crib

- 10mm dia. covered castors with silent transportation.
- Hyaline plastic basket to secure good visibility for observer.
- 3 functions adjusted by gas spring:
 - Trendelenburg: 12°
 - Reversed trendelenburg: 12°
 - Height adjustable by gas spring: 780-980mm.



KLX01

Stainless Steel Baby Crib

- Stainless steel frame, with mattress.
- With plastic crib for baby keeping.
- Can be tilt in different angles.
- Mounted on the castors, with brake.
- Size: 875x525x650-900mm.



KL-075700A

BABY Cart/Trolley

Aluminum alloy bed body, High density and transparent ABS basin, head tilt Angle: 0-12° , Height is adjustable from 780mm-980mm;



KLX05-2

Single crank children bed

size(L*W*H):1600*700*1000mm



KLX05

1600 × 700 × 1000mm
Stainless Steel Children Bed



KLX03

1600 × 700 × 1000 mm



KLX02

Stainless Steel Children Bed

- Stainless steel framework.
- Stainless steel side rail, drop type.
- noislesscastors dia75mm with brake.
- Dimension: 750*450*610-1030mm.
- With telescopic SS IV pole and previsions.
- With mattress.
- With debris basket.



KLX04

Children bed 2 function

- Aluminum alloy head & foot boards with laminated panels, can be removable
- Aluminum alloy side rail, 5-staff, collapsed type with safe lock.
- Bed sheet top made from perforated steel , epoxy powder coated and baked finish.
- Bed framework made from mild steel ERW rectangular tubes.
- Dimension: 1800*730*500mm
- 2 functions:
 - Backrest lifting angle: 80°±5°
 - Kneerest lifting angle: 40°±5°
- With shoes holder.



KLT051
Transfusion stand



KLT053
Transfusion stand



KLT054
Transfusion stand



KLT054-1
Transfusion stand



KLT054-2
Transfusion stand



KLT054-3
Transfusion stand



KLT054-4
Transfusion stand



KLT054-5
Transfusion stand



KLT054-6
Transfusion stand



KLT054-7
Transfusion stand



KLB042
overbed table
规格: 900x450x720/1020



KLB043
overbed table
规格: 780x390x800/1300



KLB044
overbed table



KLB045
overbed table



KLB046
overbed table



KLB047
overbed table



KLX05
Examination Table

- Stainless steel structure.
- Head can be lifted up.
- Max weight capacity: 180kg
- Mattres: high class sponge artificial leather.
- Dimension: 1900*600*680mm.



KLX06
Examination Table

- Stainless steel structure.
- Head can be lifted up.
- Max weight capacity: 180kg
- Mattres: high class sponge artificial leather.
- Dimension: 1900*600*680mm.

**KLX07**

Examination Table

- Powder coated steel structure.
- Bed top made from foam with artificial leather cover.
- Bed framework made from mild steel ERW rectangular tubes.
- Dimension: 1900*600*680mm.

**KLX09**

Examination Table

- Stainless steel structure.
- Head can be lifted up.
- Max weight capacity: 180kg
- Mattres: high class sponge artificial leather.
- Dimension: 1900*600*680mm.

**KLX11**

Examination Table

- Stainless steel structure.
- With foam and PU mattress.
- With built-in pillow.
- Dimension: 1900*600*680mm.

**KLX12**

Electric Examination Table

- Powder coated steel structure.
- With foam and PU cover.
- With pillow.
- Height can be adjusted by electric motor: 500-800mm
- Dimension: 1900*600*500-800mm.

**KLX14**

Hydraulic Examination Table

- Powder coated structure
- With foam mattress, the thickness is 6 cm
- Mattress's cover is PU leather
- With 5 inch covered castors
- Foot pedal control the height adjustment
- Head adjustment by gas spring.

**KLX15**

Electric Massage Table

- Size(L*W*H):1940*700*460-875mm
- Powder coated structure
- Back section raised from the horizontal: ≥55°
- 3 inch castors

**KL8276VJ-2**

Delivery Bed

Dimension: 1800 × 600 × 800mm**Description:**

- ★ Table frame made of tubular stainless steel; Fixed bases with protective plastic feet;
- ★ Adjustable three sections with independent controls and Trendelenburg position;
- ★ Bed top is high-density polyurethane foam, and covered with washable faux leather: waterproof, flame retardant;
- ★ Mattress thickness: 40mm;
- ★ One pair of padded shoulder support, one pair of adjustable knee support; one pair of handgrip;
- ★ With slide-out S.S bowl;
- ★ Load bearing: 150kg;
- ★ Knock down construction;

**KL8276VJ**

Delivery Bed

1800 × 600 × 800mm

**KL8476VO-1**

Delivery Bed

1800 × 600 × 800mm

**KL8476VO-2**

Delivery Bed

1800 × 600 × 800mm



KLP001

Flat Bed Mattress

- Standard size to match each hospital bed.
- Mattress cover with flexible, waterproof, can be washed.
- The mattress core are made of polyurethane foam with high density of 40-43 kg/m³.
- It is possibility for easy removing the cover.
- The thickness of mattress is 8 cm.



KLP002

Single Crank Bed Mattress

- Standard size to match each hospital bed.
- Mattress cover with flexible, waterproof, can be washed.
- The mattress core are made of polyurethane foam with high density of 40-43 kg/m³.
- It is possibility for easy removing the cover.
- The thickness of mattress is 8 cm.



KLP003


Double Crank Bed Mattress

- Standard size to match each hospital bed.
- Mattress cover with flexible, waterproof, can be washed.
- The mattress core are made of polyurethane foam with high density of 40-43 kg/m³.
- It is possibility for easy removing the cover.
- The thickness of mattress is 8 cm.

KLP005

Jet-propelled Mattress

- Size: 190×90×8.9cm
- Pump Electrical: AC220~240V/100~120V,50HZ/60HZ
- Air output: ≥6L/min
- Pressure Range: ≥14kPa(105mmHg)
- Cycle Time: ≤5~6min
- Material: Medical grade PVC
- With one extra strip for spare use.



KLP008

PU Mattress



KLP006

Bubble Mattress

- Size: 190×90×8.9cm
- Pump Electrical: AC220~240V/100~120V,50HZ/60HZ
- Air output: ≥6L/min
- Pressure Range: ≥14kPa(105mmHg)
- Cycle Time: ≤5~6min
- Material: Medical grade PVC
- With one extra strip for spare use.



KLP007

Detachable Air Mattress



KLP009

Electrical:AC220-240V/100-120,50/60HZ
Air utput: 5L/min
Pressure Range:10-70mmHg
Cycle Time:10min-25min
Power: 10VA+25%
Noise: 50dB
Weight:5kgs
Dimension(L*W*H):28*20.5*11cm
Arrangement:20*6"cells
Material:PU



Steel Bedside cabinet

KL104W-1

规格/Dimension: 430 × 430 × 790mm

说明:

- ★ 柜体框架采用优质冷轧钢板制造, 并经无污染的物理处理后再静电喷涂;
- ★ 一个带锁抽屉; 一个橱柜(一层搁板);
- ★ 配一个不锈钢活动毛巾架, 可在任一侧安装;
- ★ 配四个二寸脚轮, 两个带刹;

Description:

- ★ Bed frame all made of expoxy painted sheet-steel;
- ★ One lockable drawer; One cupboard with shelf;
- ★ With one S.S movable towel holder, able to mounted on each side;
- ★ Four Ø50mm castors, two with brakes,

KLS004
ABS bedside cabinet
480 x 480 x 760mmKLS003
ABS bedside cabinet
480 x 480 x 870mmKLS001
ABS bedside cabinet
480 x 480 x 760mmKLS002
ABS bedside cabinet
480 x 480 x 760mmKLS007 Bedside Cabinet

- Size: L470xW440xH780mm
- Frame: White powder coated steel
- Cabinet top, drawer, tray, layer board, door made of ABS.

KLS008 Bedside Cabinet


- Size: L480xW480xH760mm
- Frame: ABS Injection
- Cabinet top, drawer, tray, layer board, door and the base are made of ABS.



KL-CL001 Medical Curtain



KL-CL002 Medical Curtain



KL-CL003 Medical Curtain



KL-CL004 Medical Curtain



KL-CL005 Medical Curtain



KL-CL010 Medical Curtain



KLE095 Foldable Blood Collection Chair
Chair dimension:1700mm(curve length)*560mm



KLE094 Manual Stretchable Blood Collection Chair
Chair dimension:1700mm(curve length)*560mm



KLE001
Multi-purpose Accompany Chair
Size:640*720/1900*420/950mm



Multi-purpose Accompany Chair



KLE096 Foldable Blood Collection Chair
Chair dimension:1240mm(curve length)*560mm
Height:480mm



KLE097 Foldable Blood Collection Chair
Chair dimension:1700mm(curve length)*560mm
Height:570mm(min)-830mm(max)



KLE001-3
Multi-purpose Accompany Chair
Size:860*720/1960*430/960mm



KLE002
Multi-purpose Accompany Chair
Size:640*720/1900*250/380mm



KLE090 Blood Collection Chair
480 x 480 x 760mm



KLE091 Foldable Blood Collection Chair
Chair dimension:1650mm(curve length)*560mm
Height:570mm(min)-830mm(max)



KLE004-1
Luxury Transfusion Chair
Size:710*800*102mm



KLE005
Luxury Transfusion Chair
Size:750*1000/1600*450/1100mm



KLE008 Treat-waiting chair
Size:: 1800 x 740 x 800mm



KLE008-1 Treat-waiting chair
Size:: 1780 x 740 x 800mm



KLE051-2 Nurse Chair



KLE015 Nurse Chair



KLE008-2 Treat-waiting chair
Size:: 1800 x 740 x 800mm



KLE008-3 Treat-waiting chair
Size:: 1800 x 740 x 800mm



KLE013 Nurse Chair



KLE016 Nurse Chair



KLE015-1 Nurse Chair



KLE016-1 Nurse Chair



KLE010 Treat-waiting chair
Size:: 1800 x 710 x 800mm



KLE010-1 Treat-waiting chair
Size:: 1780 x 740 x 800mm



KLE020 Step Stool



KLE020-1 Step Stool



KLE019 Square Stool



KLE021 Office Chair



KLE011 Treat-waiting chair
Size:: 1780 x 740 x 800mm



KLE012 Treat-waiting chair
Size:: 1780 x 740 x 800mm



KLE022 Patient Chair



KLE023 Nurse Chair



KLE024 Doctor Stool



KLE025 Doctor Chair



KLZ003
Steel-Wood Desk



KLZ004
Wood Desk



KLZ005
Steel-Wood Desk



KLZ002
Wood Desk



KLZ001
Wood Desk



KLZ002-1
Steel-Wood Desk



KLZ102
Steel-Wood Desk



KLZ001-1
Wood Desk



KLZ006
Meeting Table size:2.4m 2.8m 3.0m 3.2m4.0m

Mobile Nurse working station 移动医生工作车

铝合金工作台面，带安全电压的品牌mini电脑主机及电动升降系统、显示屏、品牌键盘鼠标、高强度无线接收。ABS材质主机箱、抽拉键盘托、ABS材质电池仓。一体化铝合金底盘，强度高、耐碰撞，配高强度静音脚轮。

High-configured Type:

Aluminum workplate, mini brand computer with safe voltage and electric lift system, display screen, brand keyboard, high-sensitive wireless receiver. ABS main machine cabinet, withdrawal type keyboard support, ABS battery holder. High-strength aluminum bottom at crashproof. With luxurious whisht casters.



KL-M01

Mobile Nurse working station 移动护士工作车

整车采用铝塑材质，面板、抽屉、车身及托盘等是有ABS工程塑料经模具注塑成形，左右二侧的柱子为铝合金型材，车的二侧可配置物盒，锐器盒、金属挂篮。抽屉配置可根据客户需要放置，抽屉内配活动插片，可自由组合。中控锁及一次性锁可选，静音脚轮（二个带刹、二个不带刹）。

配置：带安全电压品牌的mini电脑主机及显示屏、品牌键盘鼠标、高强度无线接收、主机箱、抽拉键盘托、电池仓。

Mobile Medical Care Vehicle:

The whole vehicle uses aluminum plastic,panels,drawers,trays and other body are made of ABS engineering plastic injection molding and mold ,left and right sides of the pillars for the aluminum alloy ,the two sides of the vehicle can take strong box sharps boxes ,metal hanging baskets ,drawers configuration can be placed according to customer needs ,with activities drawer inserts , can be combined freely .central locking and disposable lock can be choose Quiet casters (two with brakes,the other two are not).


Configuration :with safety voltage brand mini host computer and display ,brand keyboard and mouse ,high-strength wireless receiver ,the main chassis ,pull keyboard tray ,battery compartment.



KL-M02



Emergency Cart/Trolley



KL-ET760C
750*480*920mm



KL-ET600C
590*470*920mm



KL - ET850C
850*520*950MM



KLAT850
850*520*950MM



KL-MT850
850*520*950MM




KL-ITT750E
750*480*920MM



KL-ET750C
850*520*950MM



KL-CT760
750*480*920mm



KL-CT850C
850*520*950mm



KL-CT600C
590*470*920mm



KL-CT750E
750*480*920mm



KL-CT760E2
760*480*920mm



KL-CT760E4
760*480*920mm



KL-CT750E5
750*480*920mm



KL-CT850D
850*520*950mm



KL-CT6601
660*470*1000mm

整体ABS工程塑料台面，凹陷设计，台面嵌软玻璃。四柱设计，A型为铝合金材质、B型为塑钢材质。抽屉配置为二小抽、二中抽、一大抽，内置分格片，可自由分格。三折静音轨道、污物桶、麻醉架、中控锁、不锈钢护栏、静音脚轮（二个带刹、二个不带刹）。

Anesthesia Cart/Trolley

Integral ABS surface, special concave top design covered with transparent plastic. Model A with four aluminum columns; Model B with four plastic-steel columns. Total with five drawers: two small, two medium and one big, each inner with partitions can be organized freely into different size units.


Accessories: dust basket, anesthesia rack, centralized lock, stainless steel guard rail, luxurious whisht casters etc.



KL-AT850 850*520*950mm
KL-AT750 750*480*920mm



KL-AT760
760*480*920mm



KL-AT750C
750*480*920mm



KL-AT760C
760*480*920mm

豪华抢救车

Luxurious Emergency trolley



KL-GET03

尺寸: 615 × 550 × 1010mm



KL-GET04

尺寸: 615 × 550 × 1010mm



KL-GAT01

尺寸: 615 × 550 × 1010mm



KL-GAT03

尺寸: 615 × 550 × 1010mm

豪华麻醉车

Luxurious Anesthesia trolley



KL-GMT01

尺寸: 920 × 640 × 1060mm



豪华多功能护理车

Luxurious Treatment trolley

豪华抢救车

Luxurious Emergency trolley



KL-GET05

- 车体采用顶级的 ABS, 塑料材质组成, 吸塑工艺;
- 设计美观大方, 侧面带有垃圾桶和利器盒;
- 产品尺寸: 810 × 520 × 960mm
- 包装方式: 纸箱
- 标配: 侧挂盒 1 个, A 型垃圾桶 2 个, 旋转托盘 1 个, 伸缩输液架 1 根;
- 高配: 氧气瓶支架 1 个, 复苏板 1 个, 220V 电源线插座 1 套

Technical parameter

- ABS molding working top frame
 - 1.2 Cold frame with Electrostatic powder coating. All side made of ABS molding
 - Anti collision corner each side
 - Centralized locking
 - 2 small drawers, 2 middle drawer and 1 large drawer
 - Calmed and good rolling 4" casters, two casters with brake
 - Size: 810 × 520 × 960mm
- Standard accessories:
- Defibrillator shelf 1 pc, IV stand, 1 hanging box, 2 dust box without cover, ABS CPR board, Oxygen tank holder, 220V Power outlet with hooks



KL



豪华多功能护理车

Luxurious Treatment trolley



KL-GCT01 I型

• 尺寸: 810 × 520 × 960mm



KL-GCT01 II型

• 尺寸: 810 × 520 × 960mm



KL-ET001

• 尺寸: 690 × 450 × 950mm

豪华麻醉车

Luxurious Anesthesia trolley



KL-GAT02

• 尺寸: 810 × 520 × 960mm




KL-GAT02 I型

• 尺寸: 810 × 520 × 960mm

彩钢抢救车

Emergency trolley



- 主体材质采用钢塑件，台面为两侧平拉开，下部为双开门；
- 产品尺寸: 690 × 500 × 990mm
- 净重: 48kg 毛重: 57kg
- 包装方式: 木箱
- 标配: 不锈钢直型把手 1个，B型垃圾桶 2个，伸缩输液杆 1根，ABS 48格药盘 1个，塑料大药盘 1个；
- 选配: 复苏板、220V电源插座、氧气瓶支架、A型文件框或B型文件框、洗手液架；

- Oversize: 690 × 500 × 990mm
- Material: The whole plastic steel material.
- Table-board is pulled open from two sides
- Stainless guardrail
- Two drawers with noiseless slide and stainless handle
- One centralize lock control two drawers
- Two doors with stainless handle
- Four noiseless casters, two casters with brake
- Accessories: dust basket, Stainless steel handle, IV pole, etc.
- Packing: wooden case
- N.W.:48kg, G.W:57kg



KL-ET014

• 尺寸: 690 × 450 × 950mm

钢塑送药车

Medicine trolley



KL-MT004



KL-MT003



KL-CRMT002
• 尺寸: 690×450×950mm

- 车体主要由铝、塑、钢结构组成;
- 凹形 ABS 模具成型台面;
- 工作台面: 604×457×1030mm
- 外形尺寸: 1065×635×1108
- 净重: 55kg 毛重: 65kg
- 包装方式: 木箱
- 标配: ABS 工程扶手 2 个, A 型垃圾桶 2 个, 侧挂盒 1 个;

- Oversize: 1065×635×1108mm
- Material: Mainly use stainless steel and ABS for this trolley;
- Concave ABS mould to make table board.
- Hanging box on left side
- Stainless steel basket on right side
- Two small and big drawers in top and bottom
- Three rows medicine box drawer in middle
- Four noiseless casters, two front casters with brake
- Noiseless slides for drawer
- Packing: plywood case
- N.W.: 55kg, G.W: 65kg



钢塑输液车

IV treatment trolley



KL-ITT001

- table top: 604×457×855mm
- overall dimension: 775×635×1500mm



-ITT001 II 型

- table top: 604×457×855mm
- overall dimension: 775×635×1500mm

仪器车

Instrument trolley



-YQ01

- table top: 500×385×925mm
- overall dimension: 538×550×925mm



-YQ02

- table top: 540×410×1370mm
- overall dimension: 675×600×1445mm



KL001 Stainless Steel Treatment Trolley
Size: L670xW450xH900mm



KL002 Stainless steel dressing trolley
Size: W670 * H900 * D450mm



KL003 Stainless Steel Treatment Trolley with 2 shelves
Size: W670 * H900 * D450mm



KL005 Stainless Steel Instrument Trolley
Size: B: W1550 * D460 * H930mm
M: W1400 * D460 * H900mm
S: W1200 * D460 * H900mm



KL007 Stainless Steel Treatment Trolley
Size: W670 * D450 * H900mm



KL004 Stainless Steel Treatment Trolley with 3 shelves
Size: M: W670 * H900 * D450mm
S: W560 * H900 * D400mm



KL029 Stainless Steel Medicine Trolley
• Size: W670 * D450 * H1000mm



KL028 Stainless Steel Medicine Trolley
• Size: W670 * D450 * H1000mm



KL006-1 stainless steel 2-layers instrument trolley
• Size: M: 670*450*900mm
S: 560*400*900mm



KL025 Stainless Steel treatment trolley
Size: 600x470x800mm



KL025-1 stainless steel treatment trolley
• Size: 670*450*900mm



KL001



KL002



KL003

Model	Product (Size)	Capacity (L)	Pcs/Ctn	Carton Size (cm)
KL001	25*20*23	7.0	24	51*42*37
KL002	24.5*20*16.5	5.0	24	51*42*29.5
KL003	36*22*26	15.0	20	48*39*65



KL004



KL005



KL006

Model	Product (Size)	Capacity (L)	Pcs/Ctn	Carton Size (cm)
KL004	10.5*8*18	1.0	60	37*32*40
KL005	14*6.5*12	0.3	50	67*32*24
KL006	19*11*16.5	2.0	30	47.5*27*45



KL007



KL008



KL009



KL010



KL011



KL012

Model	Product (Size)	Capacity (L)	Pcs/Ctn	Carton Size (cm)	Model	Product (Size)	Capacity (L)	Pcs/Ctn	Carton Size (cm)
KL007	10.5*8*18	1.0	60	37*32*40	KL010	16.5*14*19	3.6	100	52*52*57
KL008	24.5*20*14.5	4.0	24	51*42*24	KL011	27*11.5*28	4.6	20	58*56*28
KL009	11*8.5*15	1.0	100	36*33*46	KL012	7.6*3.8*10	0.2	200	38*36*42



KLH021
Stainless Steel Emergency Trolley
Size:700*400*850mm



KLH020
Stainless Steel Emergency Trolley
Size:700*400*850mm



KLH018
Stainless Steel Anaesthetic Trolley
Size:600*400*850mm



KLH038
Stainless Steel Mayo Trolley
Size:600*400*1030mm



KLH015
Stainless Steel Wash Basin



KLH041-3
Stainless Steel Mayo Trolley
Size:670*450*800-1150mm



KLH014
Stainless Steel Trolley For Medical Record Holder
(20shelves)
Size:340*400*900mm



KLH013
Stainless Steel Trolley For Medical Record Holder
(40shelves)
Size:630*430*900mm



KLH012
Stainless Steel Insulated Food Cart,electric
Heated(heat store type)



KLH015-1
Stainless Steel Wash Basin



KLH041-2
Stainless Steel Mayo Trolley
Size:450*350*1050mm



KLH041-1
Stainless Steel Mayo Trolley
Size:600*400*820-1300mm



KLH009
Stainless Steel Dressing Delivery Trolley
Size:1350*600*900mm



KLH010
Stainless Steel Dressing Delivery Trolley
Size:900*550*900mm



KLH041
Stainless Steel Mayo Trolley
Size:670*450*800-1150mm



KLH040
Stainless Steel Laundry Trolley
Size:800*600*840mm



KLH027
Stainless Steel Laundry Trolley
Size:900*450*1050mm



KLH030
Stainless Steel Treatment Trolley
Size:900*550*950mm



KL3300E
Soiled Trolley
Size:330*560*1070mm



KL1080S
Soiled Trolley
Size:1080*560*1000mm



KLH041
Stainless Steel Laundry Trolley
Size:600*840mm



KLH034-5
Movable Waste Bucket
Size:14L



KLH034-1
Trash Can
Size:12L 18L 235*575mm 220*570mm



KLH052
Instrument cabinet
Size:900*400*1800mm



KLH051
Instrument cabinet
Size:900*400*1800mm



KLH056
Six-gateway Change cabinet
Size:900*400*1800mm



KLH052-2
Powder Coated Steel Instrument cabinet
Size:860*400*1800mm



KLH054
Medicine cabinet
Size:900*500*300mm



KLH058
change cabinet
Size:900*400*1800mm

KL-1A1 Folding Stretcher

Detailed Product Description:

- This stretcher with wheels, outriggers and can be folded.
- It is made of high strength aluminum alloy material and the waterproof leather materials.
- Light-weighted, small-sized, easy-carried, reliable quality, use-safely and easy for sterilization, etc. Used for carrying patients and wounded person.

Model	Product size (L x W x H)	Folding size (L x W x H)	Packing Size (2pcs)	Load Bearing	N.W (1pc)	G.W
KL-1A1	185 x 50 x 20 cm	92.5 x 50 x 9 cm	98 x 54 x 18 cm	≤159kg	6kg	13kg



KL-1A2 Folding Stretcher

Detailed Product Description:

- This stretcher with wheels, outriggers and can be folded.
- It is made of high strength aluminum alloy material and the waterproof leather materials.
- Light-weighted, small-sized, easy-carried, reliable quality, use-safely and easy for sterilization, etc. Used for carrying patients and wounded person.

Model	Product size (L x W x H)	Folding size (L x W x H)	Packing Size (2pcs)	Load Bearing	N.W (1pc)	G.W
KL-1A2	185 x 50 x 18cm	92.5 x 50 x 9 cm	98 x 54 x 18 cm	≤159kg	6kg	13kg



KL-1A3 Folding Stretcher

Detailed Product Description:

- This stretcher with wheels, outriggers and can be folded.
- It is made of high strength aluminum alloy material and the waterproof leather materials.
- Light-weighted, small-sized, easy-carried, reliable quality, use-safely and easy for sterilization, etc. Used for carrying patients and wounded person.

Model	Product size (L x W x H)	Folding size (L x W x H)	Packing Size (1pc)	Load Bearing	N.W (1pc)	G.W
KL-1A3	185 x 50 x 24cm	92 x 50 x 11 cm	98 x 54 x 12 cm	≤159kg	7kg	9kg



KL-1A1 Folding Stretcher

Detailed Product Description:

- This stretcher with wheels, outriggers and can be folded.
- It is made of high strength aluminum alloy material and the waterproof leather materials.
- Light-weighted, small-sized, easy-carried, reliable quality, use-safely and easy for sterilization, etc. Used for carrying patients and wounded person.

Model	Product size (L x W x H)	Folding size (L x W x H)	Packing Size (1pc)	Load Bearing	N.W (1pc)	G.W
KL-1A5	185 x 50 x 20cm	98 x 54 x 9 cm	98 x 54 x 20 cm	≤159kg	8kg	9.5kg




KL-1B2 Folding Stretcher

Detailed Product Description:

- This folding stretcher is made of high strength aluminum alloy material.
- Used for carrying patients and wounded person.

Model	Product size (L x W x H)	Folding size (L x W x H)	Packing Size (2pcs)	Load Bearing	N.W (1pc)	G.W
KL-1B2	185 x 50 x 3cm	92.5 x 50 x 10 cm	96 x 54 x 16 cm	≤159kg	6.5kg	14kg



silver


black

KL-1B2 Folding Stretcher

Detailed Product Description:

- This folding stretcher is made of high strength Steel material.
- Used for carrying patients and wounded person.

Model	Product size (L x W x H)	Folding size (L x W x H)	Packing Size (1pc)	Load Bearing	N.W (1pc)	G.W
KL-1B3	185 x 50 x 3cm	92.5 x 50 x 7 cm	96 x 54 x 16 cm	≤159kg	6.5kg	14kg



2

KL-1A3 Folding Stretcher

Detailed Product Description:

- This folding stretcher is made of high strength aluminum alloy material and the oxford leather materials.
- This stretcher is intensified stretcher, with flexible handle and outrigger, can be folded by lengthwise.
- It is characterized by its being light weight, portable, easy to carry out and safe to use ect.
- It is mainly used for battle field and outdoor carrying patients and wounded person.



Model	Product size (L x W x H)	Folding size (L x W x H)	Packing Size (1pc)	Load Bearing	N.W (1pc)	G.W
KL-1C	220 x 55 x 15cm	180x 12 x 15 cm	185 x 13 x 17 cm	≤159kg	7.5kg	9.5kg

KL-1D Folding Stretcher

Detailed Product Description:

- This folding stretcher is made of high strength aluminum alloy material and the oxford leather materials.
- This stretcher is intensified stretcher, with flexible handle and outrigger, can be folded by lengthwise.
- It is characterized by its being light weight, portable, easy to carry out and safe to use ect.
- It is mainly used for battle field and outdoor carrying patients and wounded person.



Model	Product size (L x W x H)	Folding size (L x W x H)	Packing Size (1pcs)	Load Bearing	N.W (1pc)	G.W
KL-1D	220 x 55 x 15cm	95 x 20 x 9 cm	98 x 22 x 11 cm	≤159kg	7.5kg	8.2kg

KL-1DL Folding Stretcher

Detailed Product Description:

- This folding stretcher is made of high strength aluminum alloy materials.
- This stretcher is intensified stretcher, with flexible handle and outrigger, can be folded by length-wise.
- It is characterized by its being light weight, portable, easy to carry out and safe to use ect.
- It is mainly used for battle field and outdoor carrying patients and wounded person.



Model	Product size (L x W x H)	Folding size (L x W x H)	Packing Size (1pcs)	Load Bearing	N.W (1pc)	G.W
KL-1DL	220 x 55 x 15cm	50 x 26 x 18 cm	58 x 28 x 22 cm	≤159kg	9kg	9.8kg

KL-1F1 Folding Stretcher

Detailed Product Description:

- The folding stretcher is made of high strength aluminum alloy material and the waterproof canvas material.



green



Model	Product size (L x W x H)	Folding size (L x W x H)	Packing Size (2pcs)	Load Bearing	N.W (1pc)	G.W
KL-1F1	208 x 55 x 13cm	104 x 17 x 9 cm	108 x 18.5 x 18.5 cm	≤159kg	4.7kg	11kg

KL-1F2 Folding Stretcher

Detailed Product Description:

- It is made of high strength aluminum alloy material and the waterproof leather materials.
- Light-weighted, small-sized, easy-carried, reliable quality, use-safely and easy for sterilization, etc. Used for carrying patients and wounded person.



orange

Four Folded



Model	Product size (L x W x H)	Folding size (L x W x H)	Packing Size (1pc)	Load Bearing	N.W (1pc)	G.W
KL-1F2	214 x 54.5 x 12cm	58 x 21 x 14cm	66 x 29 x 15 cm	≤159kg	5kg	6.6kg

KL-1G/GL Folding Stretcher

Detailed Product Description:

- It is made of high strength aluminum alloy material and the waterproof leather materials.
- Light-weighted, small-sized, easy-carried, reliable quality, use-safely and easy for sterilization, etc. Used for carrying patients and wounded person.



green

Two or Four Folded



Model	Product size (L x W x H)	Folding size (L x W x H)	Packing Size	Load Bearing	N.W	G.W
KL-1G	208 x 55 x 15cm	104 x 17 x 9cm	108 x 18.5 x 18.5cm(2pcs)	≤159kg	5kg	12kg
KL-1GL	215 x 55 x 15cm	55 x 23 x 14cm	66 x 29 x 16cm(1pc)	≤159kg	7.7kg	8.4kg



2

KL-1N(A) Folding Stretcher

Detailed Product Description:

- It is made of high strength aluminum alloy material and PVC stretcher surface.
- It can be convert to a chair.
- It is commonly used in narrow space, the two function wheels is convenient to move on land.



Model	Product size (L x W x H)	Folding into wheelchair		Packing Size (1pc)	Load Bearing	N.W (1pc)	G.W
		Seat-H	Back-H				
KL-1N(A)	188 x 50 x 20cm	52cm	137cm	108 x 12 x 54 cm	≤159kg	6.5kg	8kg

KL-1N(B) Folding Stretcher

Detailed Product Description:

- It is made of high strength aluminum alloy material and PVC stretcher surface;
- It can convert to a chair;
- It is commonly used in narrow space, the two function wheels is convenient to move on land.



Model	Product size (L x W x H)	Folding into wheelchair		Packing Size (1pc)	Load Bearing	N.W (1pc)	G.W
		Seat-H	Back-H				
KL-1N(B)	188 x 50 x 20cm	52cm	137cm	110 x 16 x 54 cm	≤159kg	8kg	9.5kg

KL-1A6A Spine Board

Detailed Product Description:

- This spine board with safe belts is made of PE material with no discharge contaminator, and firmness to wear.
- This plastic spine board provided by our company also can be used as a floatable device.
- The structure is allowed X-rays because of its completely translucent.
- It is compatible with most head immobilization devices and strap mechanisms.
- It is mainly used for hospitals, sports, ambulance and outdoors to carry patients and wounded person.



Model	Product size (L x W x H)	Packing Size (1pc)	Load Bearing	N.W (1pc)	G.W
KL-1A6A	183 x 45 x 5 cm	185 x 47 x 7 cm	≤159kg	7.5kg	9kg

KL-1A6B Spine Board

Detailed Product Description:

- This spine board is two-folded, easy for operation and storage.



Model	Product size (L x W x H)	Folding size (L x W x H)	Packing Size (1pc)	Load Bearing	N.W (1pc)	G.W
KL-1A6B	185 x 50 x 4 cm	94 x 50 x 7 cm	96 x 54 x 10 cm	≤159kg	9.2kg	10.5kg

KL-1A6C Spine Board

Detailed Product Description:

- This spine board with safe belts is made of PE material with no discharge contaminator, and firmness to wear.
- This plastic spine board provided by our company also can be used as a floatable device.
- The structure is allowed X-rays because of its completely translucent.
- It is compatible with most head immobilization devices and strap mechanisms.
- It is mainly used for hospitals, sports, ambulance and outdoors to carry patients and wounded person.



Model	Product size (L x W x H)	Packing Size (1pc)	Load Bearing	N.W (1pc)	G.W
KL-1A6C	184 x 46 x 5 cm	186 x 48 x 7 cm	≤159kg	7kg	8.5kg

KL-1A6E Spine Board

Detailed Product Description:

- This spine board with safe belts is made of PE material with no discharge contaminator, and firmness to wear.
- This plastic spine board provided by our company also can be used as a floatable device.
- The structure is allowed X-rays because of its completely translucent.
- It is compatible with most head immobilization devices and strap mechanisms.
- It is mainly used for hospitals, sports, ambulance and outdoors to carry patients and wounded person.



Model	Product size (L x W x H)	Packing Size (1pc)	Load Bearing	N.W (1pc)	G.W
KL-1A6E	186 x 45.5 x 5.5 cm	186 x 47 x 8 cm	≤159kg	7.4kg	9kg

KL-1A6H

Detailed Product Description:

- CPR board have great help on the first-aid and training,en-abling the patient through out the rescue process always keep the airway open the correct loaction,better for patient with cervical spine injuries,in the CPR process to avoid the airway open position to take the rise of the secondary damage caused by cervical spine.
- Compression plate by high-density polyethylene plastic,the surface of solid,one end of the concave to maintain the patient's head and heads off.



Model	Product size (L x W x H)	Packing Size (5pcs)	N.W	G.W
KL-1A6H	60.5 x 41 x 5 cm	61 x 43 x 34 cm	13kg	14.6kg

KL-1A6L

Detailed Product Description:

- Special composite plastic material.
- It have the character of light weight and small volume.It is mainly allpy to sea rescue,mountain rescuing and wilderness rescue.The military sked stretcher is convenient to carry and easy to bend in deformation.
- It have wide range of application.
- It can be used for fire emergency rescuing, deep and narrow-space, general assistance, high-altitude rescue ground, chemical accident rescue, horizontal or vertical lifting.



Model	Product size (L x W x H)	Packing Size (L x W x H)	Temperature Resistance	N.W (1pc)	G.W
KL-1A6L	252 x 87 x 0.5 cm	42 x 42 x 92 cm	-20 C to 45 C	10kg	11kg

KL-2A

- This ambulance stretcher is low frame structure model, it is made of high-strength aluminum alloy thick-wall pipes.
 - The bed surface is made of foamed cushion and the adjustable back, making the wounded feel comfortable.
 - Both ends of the stretcher have opening circle which are used for transporting the patients.
 - This type of stretcher is characterized by its light weight, safe usage, and easy for sterilization and clean.
- Mainly used for hospital, sports, ambulance and city roads carrying patients and wounded person.



Model	High Position (L x W x H)	Packing Size (1pc)		Load Bearing	N.W (1pc)	G.W
KL -2A	190 x 55 x 50 cm	195 x 62 x 34 cm	75°	≤159kg	25.5kg	31.5kg

KL-2B

- This ambulance stretcher is low frame structure model, it is made of high-strength aluminum alloy thick-wall pipes.
- The bed surface is made of foamed cushion and the adjustable back, making the wounded feel comfortable.
- Both ends of the stretcher have opening circle which are used for transporting the patients.
- This type of stretcher is characterized by its light weight, safe usage, and easy for sterilization and clean.
- Mainly used for hospital, sports, ambulance and city roads carrying patients and wounded person.



Model	High Position (L x W x H)	Packing Size (1pc)	Maximum Angle of the Bach	Load Bearing	N.W (1pc)	G.W
KL -2B	190 x 55 x 50 cm	195 x 62 x 34 cm	75°	≤159kg	29kg	35kg

KL-2L Emergency Bed

Detailed Production Description:

- This emergency bed is made of high-strength aluminum alloy thick-wall pipe; the height can adjust by handle at the head side.
- The surface can be separated from the bed body; it can be used as a stretcher.
- It is used for carrying patients and the wounded people in the hospitals, emergency centers, and city roads.
- It is characterized by its being light, durable antiseptic easy for sterilization.



Model	High Position (L x W x H)	Low Position (L x W x H)	Packing Size (1pc)	Load Bearing	N.W (1pc)	G.W
KL -2L	190 x 55 x 88 cm	190 x 55 x 32 cm	195 x 62 x 34 cm	≤159kg	34kg	40kg

KL-3A Ambulance Stretcher

Detailed Product Description:

- This automatic loading stretche is our latest product,it's made of high-strength aluminum alloy thick-wall pipes.
- The bed surface is made of foamed cushion and the adjustable back making the wounded feel comfortable.
- The machine is very convenient;one person is enough to send the patient to the ambulance stretcher.
- The mechanical foldaway legs are controlled by the handles on both ends of the stretcher.
- And the legs can be folded under the stretcher automatically when loading into the vehicle.
- Also the stretcher can be locked by the fixing devices when on the ambulance car.
- This type of stretcher is characterized by its being light,durable antiseptic easy for sterilization.



Model	High Position (L x W x H)	Low Position (L x W x H)	Packing Size (1pcs)	Maximum Angle of the Bach	Load Bearing	N.W (1pc)	G.W
KL-3A	190 x 55 x 92cm	190 x 55 x 26 cm	195 x 62 x 28 cm	75°	≤159kg	36.8kg	43kg

KL-3A2 Ambulance Stretcher

Detailed Product Description:

- This automatic loading stretcher is our latest product, it's made of high-strength aluminum alloy thick-wall pipes.
- The bed surface is made of foamed cushion and the adjustable back making the wounded feel comfortable.
- The mechanical foldaway legs are controlled by the handles on both ends of the stretcher.
- And the legs can be folded under the stretcher automatically when loading into the vehicle.
- Also the stretcher can be locked by the fixing devices when on the ambulance car.
- This type of stretcher is characterized by its being light, durable antiseptic easy for sterilization.



Model	High Position (L x W x H)	Low Position (L x W x H)	Packing Size (1pcs)	Maximum Angle of the Bach	Load Bearing	N.W (1pc)	G.W
KL -3A2	190 x 55 x 92 cm	190 x 55 x 26 cm	198 x 62 x 28 cm	75°	≤159kg	43kg	49kg

KL-3L Emergency Bed

Detailed Product Description:

- This emergency bed is made of high-strength aluminum alloy thick-wall pipe; the height can adjust by handle at the head side.
- The surface can be separated from the bed body; it can be used as a stretcher.
- It is used for carrying patients and the wounded people in the hospitals, emergency centers, and city roads.
- It is characterized by its being light, durable antiseptic easy for sterilization.



Model	High Position (L x W x H)	Low Position (L x W x H)	Packing Size (1pcs)	Maximum Angle of the Bach	Load Bearing	N.W (1pc)	G.W
KL -3L	190 x 55 x 88cm	190 x 55 x 32 cm	195 x 62 x 34 cm	75°	≤159kg	35kg	41kg

KL-3A5 Ambulance Stretcher

Detailed Product Description:

- This automatic loading stretcher is our latest product, it's made of high-strength aluminum alloy thick-wall pipes.
- The bed surface is made of foamed cushion and the adjustable back making the wounded feel comfortable.
- The mechanical foldaway legs are controlled by the handles on both ends of the stretcher.
- And the legs can be folded under the stretcher automatically when loading into the vehicle.
- Also the stretcher can be locked by the fixing devices when on the ambulance car.
- This type of stretcher is characterized by its being light, durable antiseptic easy for sterilization.



Model	High Position (L x W x H)	Low Position (L x W x H)	Packing Size (1pcs)	Maximum Angle of the Bach	Load Bearing	N.W (1pc)	G.W
KL -3A5	190 x 55 x 92 cm	190 x 55 x 26 cm	195 x 62 x 28 cm	75°	≤159kg	39kg	42kg

KL-3B Ambulance Stretcher

Detailed Product Description:

- This automatic loading stretcher is our latest product, it's made of high-strength aluminum alloy thick-wall pipes.
- The bed surface is made of foamed cushion and the adjustable back making the wounded feel comfortable.
- The mechanical foldaway legs are controlled by the handles on both ends of the stretcher.
- And the legs can be folded under the stretcher automatically when loading into the vehicle.
- Also the stretcher can be locked by the fixing devices when on the ambulance car.
- This type of stretcher is characterized by its being light, durable antiseptic easy for sterilization.



Model	High Position (L x W x H)	Low Position (L x W x H)	Packing Size (1pcs)	Maximum Angle of the Bach	Load Bearing	N.W (1pc)	G.W
KL -3B	190 x 55 x 92 cm	190 x 55 x 25 cm	195 x 62 x 25.5 cm	75°	≤159kg	40kg	46kg

KL-3B2 Ambulance Stretcher

Detailed Product Description:

- This automatic loading stretcher is our latest product, it's made of high-strength aluminum alloy thick-wall pipes.
- The bed surface is made of foamed cushion and the adjustable back making the wounded feel comfortable.
- The mechanical foldaway legs are controlled by the handles on both ends of the stretcher.
- And the legs can be folded under the stretcher automatically when loading into the vehicle.
- Also the stretcher can be locked by the fixing devices when on the ambulance car.
- This type of stretcher is characterized by its being light, durable antiseptic easy for sterilization.



Model	High Position (L x W x H)	Low Position (L x W x H)	Packing Size (1pcs)	Maximum Angle of the Bach	Load Bearing	N.W (1pc)	G.W
KL -3B2	190 x 55 x 92 cm	190 x 55 x 26.5 cm	195 x 62 x 28 cm	75°	≤159kg	46kg	52kg

KL-3C Ambulance Stretcher

Detailed Product Description:

- This automatic loading stretcher is our latest product, it's made of high-strength aluminum alloy thick-wall pipes.
- The bed surface is made of foamed cushion and the adjustable back making the wounded feel comfortable.
- The mechanical foldaway legs are controlled by the handles on both ends of the stretcher.
- And the legs can be folded under the stretcher automatically when loading into the vehicle.
- Also the stretcher can be locked by the fixing devices when on the ambulance car.
- This type of stretcher is characterized by its being light, durable antiseptic easy for sterilization.



Model	High Position (L x W x H)	Low Position (L x W x H)	Packing Size (1pcs)	Maximum Angle of the Bach	Load Bearing	N.W (1pc)	G.W
KL -3C	190 x 55 x 92cm	190 x 55 x 28 cm	195 x 62 x 30 cm	65°	≤159kg	57kg	63kg

KL-3D Ambulance Stretcher

Detailed Product Description:

- This emergency bed is made of high-strength aluminum alloy thick-wall pipe; the height can adjust by handle at the head side.
- The surface can be separated from the bed body; it can be used as a stretcher.
- It is used for carrying patients and the wounded people in the hospitals, emergency centers, and city roads.
- It is characterized by its being light, durable antiseptic easy for sterilization.



Model	High Position (L x W x H)	Low Position (L x W x H)	Packing Size (1pcs)	Maximum Angle of the Bach	Load Bearing	N.W (1pc)	G.W
KL -3D	196 x 55 x 98cm	196 x 55 x 34 cm	198 x 62 x 38 cm	65°	≤159kg	38.2kg	44kg

KL-3D2 Ambulance Stretcher

Detailed Product Description:

- This automatic loading stretcher is our latest product, it's made of high-strength aluminum alloy thick-wall pipes.
- The bed surface is made of foamed cushion and the adjustable back making the wounded feel comfortable.
- The mechanical foldaway legs are controlled by the handles on both ends of the stretcher.
- And the legs can be folded under the stretcher automatically when loading into the vehicle.
- Also the stretcher can be locked by the fixing devices when on the ambulance car.
- This type of stretcher is characterized by its being light, durable antiseptic easy for sterilization.



Model	High Position (L x W x H)	Low Position (L x W x H)	Packing Size (1pcs)	Maximum Angle of the Bach	Load Bearing	N.W (1pc)	G.W
KL -3D2	196 x 55 x 98cm	196 x 55 x 38 cm	198 x 62 x 38 cm	75°	≤159kg	42kg	48kg

KL-4A/B/C Scoop Stretcher



4 colors to choose

Detailed Product Description:

- Made of high-strength aluminum alloy materials.
- Detachable design to transfer fractured and serious patients.
- One hinge device is set in each end of the stretcher used to divide main frame into two pieces.
- Strengthen the patients at original place to reduce the further hurt of the patients.
- Without moving the patient, the operators can draw out the stretcher very easily.
- Adjustable length according to patients' body.
- Equipped with a narrow frame structure of foot.
- Mainly used for hospitals, sports, ambulance carrying patients and wounded person.

Model	Product size (L x W x H)	Folding size (L x W x H)	Packing Size (1pcs)	Load Bearing	N.W (1pc)	G.W
KL-4A/B	210 x 44 x 6cm	120 x 44 x 9 cm	170 x 45 x 7 cm	≤159kg	8.5kg	10.2kg
KL-4C	185 x 44 x 6cm	188 x 46 x 8 cm	170 x 45 x 7 cm	≤159kg	9.2kg	11kg

KL-4D Scoop Stretcher




Detailed Product Description:

- Made of high-strength HDPE.
- Detachable design to transfer fractured and serious patients.
- One hinge device is set in each end of the stretcher used to divide main frame into two pieces.
- Strengthen the patients at original place to reduce the further hurt of the patients.
- Without moving the patient, the operators can draw out the stretcher very easily.
- Adjustable length according to patients' body.
- Equipped with a narrow frame structure of foot.
- Mainly used for hospitals, sports, ambulance carrying patients and wounded person.
- Patients won't feel too hot or too cold on thermally-treated polymer surface.
- The surface is easy to clean and impervious to fluids.

Model	Product size (L x W x H)	Folding size (L x W x H)	Packing Size (1pcs)	Load Bearing	N.W (1pc)	G.W
KL -4D	162 x 44.5 x 7cm	120 x 44.5 x 7cm	165 x 47 x 8cm	≤159kg	7kg	8kg

KL-4E Carry Sheet



Detailed Product Description:

- Complete with multiple carry straps and optional carry bags and made from easy vinyl. With ten handles.
- With one carry bag.










Model	Product size (L x W x H)	Folding size (L x W x H)	Self Weight	Load Bearing	N.W (1pc)	G.W
KL-4E	178 x 54cm(blue)	185 x 46cm	7kg	≤204kg	8kg	9kg
	205x70cm(yellow)	88 x 24 cm	7kg	≤159kg	9kg	10kg

Steel wheelchair



KL809
CHROMED STEEL FRAME, FIXED ARMREST, FIXED FOOTREST,
SOLID CASTOR, SOLID REAR WHEEL.

MAIN PARAMETERS (CM)

MODEL NO.										CTNS 20' FCL	CTNS 40' HQ FCL
KL809	60	41	59	20	50	87	100	94x23x89	17.4 19.6	144	372



KL802-35
CHILDREN TYPE, CHROMED STEEL FRAME, FIXED ARMREST,
FIXED FOOTREST, SOLID CASTOR, SOLID REAR WHEEL.



KL875
POWDER COATING STEEL FRAME, FIXED ARMREST, FIXED
FOOTREST, SOLID CASTOR, SOLID REAR WHEEL.



KL873
CHROMED STEEL FRAME, POWDER COATING CROSS BAR, FIXED ARMREST,
FIXED FOOTREST, SOLID CASTOR, SOLID REAR WHEEL.



KL873
CHROMED STEEL FRAME, POWDER COATING CROSS BAR, FIXED ARMREST,
FIXED FOOTREST, SOLID CASTOR, SOLID REAR WHEEL.



KL871
CHROMED STEEL FRAME, FIXED ARMREST, FIXED FOOTREST,
SOLID CASTOR, SOLID REAR WHEEL.



KL870ABJ
CHROMED STEEL FRAME, DOUBLE CROSS BAR, DROP BACK
HANDLE WITH UNITED BRAKE, FIXED ARMREST, FIXED
FOOTREST, SOLID CASTOR, PNEUMATIC MAG REAR WHEEL.



KL869X
POWDER COATING STEEL FRAME, DOUBLE CROSS BAR,
FIXED INCLINED ARMREST, FIXED FOOTREST, SOLID
CASTOR, SOLID REAR WHEEL.



KL809B
CHROMED STEEL FRAME, FIXED ARMREST, FIXED FOOTREST,
SOLID CASTOR, SOLID MAG REAR WHEEL.



KL874
CHROMED STEEL FRAME, DOUBLE CROSS BAR, FIXED ARMREST,
FIXED FOOTREST, SOLID CASTOR, SOLID REAR WHEEL.



KL876
CHROMED STEEL FRAME, DOUBLE CROSS BAR, FIXED ARMREST,
FIXED FOOTREST, PNEUMATIC FRONT WHEEL, SOLID REAR CASTOR.



KL874B
CHROMED STEEL FRAME, DOUBLE CROSS BAR, FIXED ARMREST,
FIXED FOOTREST, SOLID CASTOR, SOLID MAG WHEEL.



KL874A
CHROMED STEEL FRAME, DOUBLE CROSS BAR, DROP BACK HANDLE,
FIXED ARMREST, FIXED FOOTREST, SOLID CASTOR, SOLID REAR WHEEL.



KL903
POWDER COATING STEEL FRAME, DETACHABLE ARMREST,
DETACHABLE FOOTREST, SOLID CASTOR, SOLID REAR WHEEL.



KL901
CHROMED STEEL FRAME, DETACHABLE ARMREST, DETACHABLE
FOOTREST, PU CASTOR, PNEUMATIC REAR WHEEL.



KL902C
CHROMED STEEL FRAME, DETACHABLE DESK ARMREST, ELEVATING
FOOTREST, PU CASTOR, PNEUMATIC REAR WHEEL.



KL901B
POWDER COATING STEEL FRAME, DETACHABLE ARMREST,
DETACHABLE FOOTREST, PU CASTOR, PNEUMATIC
MAG WHEEL.



KL904B
POWDER COATING STEEL FRAME, DETACHABLE DESK ARMREST,
DETACHABLE FOOTREST, SOLID CASTOR, PNEUMATIC MAG WHEEL.



KL976ABJ-43
CHROMED STEEL FRAME, FIXED ARMREST, DETACHABLE FOOTREST,
DROP BACK HANDLE WITH UNITED BRAKE, SOLID WHEEL.



KL972
CHROMED STEEL FRAME, FIXED ARMREST, DETACHABLE
FOOTREST, SOLID CASTOR, SOLID REAR WHEEL.



KL972B
POWDER COATING STEEL FRAME, FIXED ARMREST, DETACHABLE
FOOTREST, SOLID CASTOR, SOLID MAG WHEEL.



KL909B
POWDER COATING STEEL FRAME, FLIP-UP ARMREST,
DETACHABLE FOOTREST, SOLID CASTOR, SOLID MAG WHEEL



KL97BC
CHROMED STEEL FRAME, DETACHABLE DESK ARMREST,
ELEVATING FOOTREST, SOLID CASTOR, PNEUMATIC MAG WHEEL



KL908AQ
CHROMED STEEL FRAME, FLIP-UP DESK ARMREST, DETACHABLE
FOOTREST, SOLID CASTOR, QUICK RELEASE PNEUMATIC
REAR WHEEL, DROP BACK HANDLE



KL909
POWDER COATING STEEL FRAME, FLIP-UP DESK ARMREST,
DETACHABLE FOOTREST, SOLID CASTOR, SOLID REAR WHEEL



KL951B-56
POWDER COATING STEEL FRAME, 23" SEAT WIDTH, FLIP-UP ARMREST,
DETACHABLE FOOTREST, RUBBER FOAM CASTOR,
PNEUMATIC MAG WHEEL



KL975-51
CHROMED STEEL FRAME, 20" SEAT WIDTH, DETACHABLE ARMREST,
DETACHABLE FOOTREST, SOLID CASTOR, PNEUMATIC REAR WHEEL



KL210ABE-61
POWDER COATING STEEL FRAME, DETACHABLE DESK ARMREST,
DETACHABLE FOOTREST, 24" SEAT WIDTH, FOLDABLE PUSH BAR,
SOLID CASTOR, PNEUMATIC MAG WHEEL



KL209AE-61
POWDER COATING STEEL FRAME, DETACHABLE DESK ARMREST, DETACHABLE
FOOTREST, 24" SEAT WIDTH, FOLDABLE PUSH BAR, SOLID CASTOR,
PNEUMATIC REAR WHEEL

Aluminum wheelchair



KL980LA-35
CHILDREN TYPE ALUMINUM CHAIR FRAME, FLIP-UP ARMREST,
FIXED FOOTREST, SOLID CASTOR, PNEUMATIC REAR WHEEL,
DROP BACK HANDLE



KL801LB
MINI FOLDABLE PORTABLE ALUMINUM CHAIR FRAME, FLIP-UP ARMREST, SOLID CASTOR, PNEUMATIC REAR WHEEL, WITH SEAT BELT & LEG STRAP



KL803LB
MINI FOLDABLE PORTABLE ALUMINUM CHAIR FRAME, FLIP-UP ARMREST, SOLID CASTOR, PNEUMATIC REAR WHEEL, WITH SEAT BELT & LEG STRAP



KL807LB
MINI FOLDABLE PORTABLE ALUMINUM CHAIR FRAME, FLIP-UP ARMREST, SOLID CASTOR, PNEUMATIC REAR WHEEL, WITH SEAT BELT & LEG STRAP



KL800LB
MINI FOLDABLE PORTABLE ALUMINUM CHAIR FRAME, FLIP-UP ARMREST, SOLID CASTOR, PNEUMATIC REAR WHEEL, WITH SEAT BELT & LEG STRAP



KL874LAJ
ALUMINUM LIGHTWEIGHT CHAIR FRAME, FIXED ARMREST, FIXED FOOTREST, SOLID CASTOR, PNEUMATIC REAR WHEEL, PLASTIC HAND RIM, DROP BACK HANDLE WITH UNITED BRAKE



KL874LAH
ALUMINUM LIGHTWEIGHT CHAIR FRAME, FIXED ARMREST, FIXED FOOTREST, SOLID CASTOR, PNEUMATIC REAR WHEEL, PLASTIC HAND RIM, DROP BACK HANDLE WITH UNITED BRAKE



KL874L
ALUMINUM LIGHTWEIGHT CHAIR FRAME, FIXED ARMREST, FIXED FOOTREST, SOLID CASTOR, PNEUMATIC REAR WHEEL



KL880LA
ALUMINUM CHAIR FRAME, FLIP-UP ARMREST, FIXED FOOTREST, SOLID CASTOR, PNEUMATIC REAR WHEEL, DROP BACK HANDLE



KL874LAH-30
CHILDREN TYPE, ALUMINUM CHAIR FRAME, FIXED ARMREST, FIXED FOOTREST, SOLID CASTOR, PNEUMATIC REAR WHEEL, DROP BACK HANDLE WITH DRUM BRAKE



KL880LB
ALUMINUM LIGHTWEIGHT CHAIR FRAME, FIXED ARMREST, FLIP-UP FOOTREST, SOLID CASTOR, PNEUMATIC MAG WHEEL



KL872LH
ALUMINUM LIGHTWEIGHT CHAIR FRAME, FIXED ARMREST, FIXED FOOTREST, SOLID CASTOR, PNEUMATIC REAR WHEEL WITH DRUM BRAKE



KL894LASJ
MINI ALUMINUM CHAIR FRAME, SOLID CASTOR, SOLID PU MAG WHEEL, FLIP-UP ARMREST, FLIP-UP FOOTREST, DROP BACK HANDLE, LOCKING UNITED BRAKE, WITH SEAT BELT



KL889LX
ALUMINUM LIGHTWEIGHT CHAIR FRAME, FIXED INCLINED ARMREST, SOLID CASTOR, PNEUMATIC REAR WHEEL, FIXED FOOTREST



KL864L
ALUMINUM LIGHTWEIGHT CHAIR FRAME, FIXED ARMREST, FIXED FOOTREST, SOLID CASTOR, PNEUMATIC REAR WHEEL



KL864LJ
ALUMINUM CHAIR FRAME, FIXED ARMREST, SOLID CASTOR, PNEUMATIC REAR WHEEL, FIXED FOOTREST, WITH UNITED BRAKE



KL871LB
ALUMINUM LIGHTWEIGHT CHAIR FRAME, FIXED ARMREST, FIXED FOOTREST, SOLID CASTOR, PNEUMATIC MAG WHEEL



KL871LBJ
ALUMINUM LIGHTWEIGHT CHAIR FRAME, FIXED ARMREST, FIXED FOOTREST, SOLID CASTOR, PNEUMATIC MAG WHEEL, WITH UNITED BRAKE



KL683L
ALUMINUM CHAIR FRAME, PU COMMODE SEAT, FLIP-UP DESK ARMREST, DETACHABLE FOOTREST, SOLID CASTOR, PNEUMATIC REAR WHEEL



KL689L
FOLDABLE ALUMINUM CHAIR FRAME, SOFT COMMODE SEAT, FIXED ARMREST AND FOOTREST, SOLID CASTOR, PNEUMATIC REAR WHEEL



KL681
FOLDABLE CHROMED STEEL FRAME, PLASTIC COMMODE SEAT, DETACHABLE ARMREST AND FOOTREST, SOLID CASTOR AND REAR WHEEL



KL693
POWDER COATING STEEL FRAME, FIXED ARMREST, FOLDABLE FOOTREST, REAR CASTOR WITH LOCK, PLASTIC COMMODE SEAT



KL695S
STAINLESS STEEL CHAIR FRAME, PU COMMODE SEAT WITH COVER, FLIP DOWN ARMREST, FOLDABLE FOOTREST, DETACHABLE BACKREST, REAR CASTOR WITH LOCK



KL691B
STAINLESS STEEL CHAIR FRAME, DETACHABLE ARMREST AND FOOTREST, REAR CASTOR WITH LOCK, PLASTIC COMMODE SEAT



KL682
FOLDABLE CHROMED STEEL FRAME, PLASTIC COMMODE SEAT, FLIP-UP ARMREST, DETACHABLE FOOTREST, SOLID CASTOR AND REAR WHEEL



KL699 L
ALUMINUM CHAIR FRAME, FIXED ARMREST, FOLDABLE FOOTREST, SOLID REAR CASTOR WITH LOCK, PLASTIC COMMODE SEAT



KL698
FOLDABLE CHROMED STEEL FRAME, FIXED ARMREST, SOLID REAR CASTOR WITH LOCK, PLASTIC COMMODE SEAT



KL697S
STAINLESS STEEL CHAIR FRAME, FLIP DOWN ARMREST, DETACHABLE FOOTREST, FOUR CASTORS WITH LOCK, PU COMMODE SEAT



KL693



KL692
POWDER COATING STEEL FRAME, FLIP DOWN ARMREST, DETACHABLE FOOTREST, SOLID REAR CASTOR WITH LOCK, PLASTIC COMMODE SEAT



KL696
POWDER COATING STEEL FRAME, DETACHABLE ARMREST AND FOOTREST, SOLID REAR CASTOR WITH LOCK, PLASTIC COMMODE SEAT



KL695L



KL693L



KL693L



KL-894L



KL815



KL897



KL810



KL-813



KL896



KL898



KL811



KL-892



KL894











KL899



KL812

MAIN PARAMETERS (CM)

MODEL NO.									PCS CM	G.W. (kg)
KL790	39	51	47	52	30		3.5	74x18x52	2	9
KL791S	55	50	39-49	76	37	37	4.3	72x60x56	2	11
KL792	51	50	49-59	81-91	37	37	5.5	86x56x57	1	6.5
KL7920L	38	48	51-65	69-83	28		1.5	54x40x71	2	4
KL7962L	65	49	47	86	37	39	6	70x50x26	1	7.2
KL793S	72	50		53	37	37	5	72x60x56	2	12
KL794L	23	73		18	23		1.5	84x26x41	5	9
KL797L	40	51	34-44	39-49	30		2.0	16x18x40	2	5
KL798L	49	50	35-45	74-84	30	40	2.8	69x20x40	2	6
KL795	45	57	50-52		37		4	59x23x59	2	9
KL796L	49	40	34-44	73-83	37	41	2.6	55x54x26	2	6
KL799L	53	72	42-52	82-92	41	37	4.5	76x22x45	2	11
KL7982L	38	49	35-45	73-83	29	39	3.1	69x20x40	2	7
KL793L	31	73	9.5	18.5	31		2.5	31x80x20	2	6



KL790



KL791S



KL792



KL793S



KL794L



KL7920L



KL7982L



KL7962L



KL795




KL796L



KL7931



KL798L



KL799L



KL797L



KL910L KL920L KL930L KL929L KL939L KL923L KL937L KL9300L KL933L KL948L



KL949L KL9306L(14) KL930L KL9296L(15) KL9106L KL9276L(12) KL927L



KL930L(1) KL939L(2) KL929L(3) KL930L(4) KL929L(7) KL930L(8) KL939L(9) KL930L(10) KL938L(11)



1



2



3



4



7



8



9



10



11



KL9202L KL9206L KL9276L(13) KL938L(12) KL928L KL9281L KL9280L



12



13



14



15



16



17

Walking stick



KM-6

Product application:

- Cars,yachts,student dormitories,offices
- Refrigerated the foods, drinks and wine
- Place of medical drugs, reagents

- * Material: PP and PU foam
- * Capacity:6L
- * External size: 340*230*280mm
- * Internal size: 230*142*210mm
- * N.W: 1.9kg
- * G.W: 2.5kg
- * Maximum load: 6kg
- * Cooling time : 48h
- * Package: In carton
- * Carton size: 370*240*290mm
- * Qty/20GP: 890pcs
- * Accessories: 1pc of strap

正面



整体



KM-12

- * Material: PP and PU foam
- * Capacity:12L
- * External size: 420*240*300mm
- * Internal size: 330*170*225mm
- * N.W: 2.5kg
- * G.W: 3kg
- * Maximum load: 8kg
- * Cooling time : 48h

- * Package: In carton
- * Carton size: 430*250*300mm
- * Qty/20GP: 660pcs
- * Accessories: 1pc of strap



提手



放置冰盒



KM-17

- * Material: PP and PU foam
- * Capacity:17
- * External size: 460*300*340mm
- * Internal size: 350*220*250mm
- * N.W: 3.2kg
- * G.W: 4kg
- * Maximum load: 15kg
- * Cooling time : 24 ~ 72h

- * Package: In carton
- * Carton size: 470*310*350mm
- * Qty/20GP:408pcs
- * Accessories: 1pc of strap

KM-33

- * Material: PP and PU foam
- * Capacity:33
- * External size: 570*310*370mm
- * Internal size: 375*215*250mm
- * N.W: 3.5kg
- * G.W: 4kg
- * Maximum load: 18kg
- * Cooling time : 24 ~ 72h

- * Package: In carton
- * Carton size: 450*280*320mm
- Qty/20GP:528pcs

- * Accessories: 1pc of strap

开盖



外观



KM-46

- * Material: PE and PU foam
- * Capacity:46
- * External size: 600*340*420mm
- * Internal size: 500*255*340mm
- * N.W: 6kg
- * G.W: 7kg
- * Maximum load: 32kg
- * Cooling time : 24 ~ 72h

- * Package: In carton
- * Carton size: 610*350*430mm
- Qty/20GP:324pcs

- * Accessories: 1pc of strap

放置冰盒



外观



放置冰盒



KM-54

- * Material: PP and PU foam
- * Capacity:54
- * External size: 645*395*420mm
- * Internal size: 520*330*335mm
- * N.W: 7.8kg
- * G.W: 8kg
- * Maximum load: 60kg
- * Cooling time : 24 ~ 72h

- * Package: In carton
- * Carton size: 620*410*450mm
- * Qty/20GP:180pcs
- * Accessories: 1pc of strap

外观



KM-54B

- * Material: PP and PU foam
- * Capacity:54
- * External size: 645*395*420mm
- * Internal size: 520*330*335mm
- * N.W: 7.8kg
- * G.W: 8kg
- * Maximum load: 60kg
- * Cooling time : 24 ~ 72h

- * Package: In carton
- * Carton size: 620*410*450mm
- * Qty/20GP:180pcs
- * Accessories: 1pc of strap

